

	Hits	Search Text	DBs
1	2628	audit\$5.ti. and (@pd<"20030630" or @ad<"20030630" or @rlad<"20030630" or @rlpd<"20030630")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	102	S1 and encrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	46	S2 and signature\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	1	S3 and (audit near3 counter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	9	S5 and transaction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	0	S6 and (audit adj session)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	7	S6 and session	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	2184	S8 (open\$5 near2 session)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	1	S10 and (clos\$5 near2 session)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	1	S11 and hash\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	1	S12 and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	0	S14 and attribute\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	0	S14 and (audit near3 counter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	1	S13 and (encrypt\$5 with key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	1	S14 and audit\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	0	S15 and database\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	0	S15 and stor\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	1	S17 and database\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	1	S20 and stor\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	11	S3 and (audit adj log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
21	2	S1 and (audit adj counter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	1	S21 and (transaction with time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	2	"6868406".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	1	S24 and (transaction near3 time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	1	S8 and (open\$5 near2 session)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	1	S24 and (open\$5 near2 session)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	1	S26 and (clos\$5 near2 session)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	0	S24 and (signature same encrypt\$6 same hash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	0	S24 and (second with key with encrypt\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	0	S24 and (second with key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	2	"6868406".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	1	S31 and (open\$5 near2 session)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	1	S32 and (clos\$5 near2 session)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	1	S33 and (audit\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	1	S34 and ((generat\$6 or creat\$6) near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	1	S35 and (audit same (stor\$6 or sav\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	2	"6868406".pn. and (audit same (stor\$6 or sav\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	2	"6868406".pn. and (audit same (stor\$6 or sav\$6) same (key or signature))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	1	"6868406".pn. and ((audit adj2 log) same (stor\$6 or sav\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	1	"6868406".pn. and ((audit adj2 log) same (stor\$6 or sav\$6)) and (audit adj2 log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
41	8	(audit\$5 and wireless and server).ab. and (@pd<"20030630" or @ad<"20030630" or @rlad<"20030630" or @rlpd<"20030630")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	10	(audit\$5 near10 wireless near10 (sav\$6 or stor\$6)) and (@pd<"20030630" or @ad<"20030630" or @rlad<"20030630" or @rlpd<"20030630")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	9	(audit\$4 near10 wireless near10 (sav\$6 or stor\$6)) and (@pd<"20030630" or @ad<"20030630" or @rlad<"20030630" or @rlpd<"20030630")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	8524	(audit\$3).ab. and (@pd<"20030630" or @ad<"20030630" or @rlad<"20030630" or @rlpd<"20030630")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	180	S44 and (audit\$3 same wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	0	S45 and (audit\$3 same wireless same (sav\$6 and stor\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	56	S45 and (audit\$3 same wireless same (sav\$6 or stor\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	133	S44 and ((stor\$6 or sav\$6) near10 (wireless or pda or cell or mobile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	96	S44 and ((stor\$6 or sav\$6) near5 (wireless or pda or cell or mobile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	26	S49 and (((stor\$6 or sav\$6) near5 (wireless or pda or cell or mobile)) same audit\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	17	S49 and (((stor\$6 or sav\$6) near5 (wireless or pda or cell or mobile)) same (audit or audits or auditing))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
52	8	S49 and (((stor\$6 or sav\$6) near5 (wireless or pda or mobile)) same (audit or audits or auditing))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	153	(audit\$3 near5 transaction).ab. and (@pd<"20030630" or @ad<"20030630" or @rlad<"20030630" or @rlpd<"20030630")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	1	S53 and ((sav\$6 or stor\$6) near5 (wireless or mobile or pda))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	1	S53 and ((sav\$6 or stor\$6) near10 (wireless or mobile or pda))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	3	S53 and ((sav\$6 or stor\$6) same (wireless or mobile or pda))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	3	S53 and ((sav\$6 or stor\$6) same (wireless or mobile or pda or laptop))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	4	S53 and ((sav\$6 or stor\$6 or enter\$6) same (wireless or mobile or pda or laptop))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	1404	(audit\$3 near5 transaction) and (@pd<"20030630" or @ad<"20030630" or @rlad<"20030630" or @rlpd<"20030630")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	366	S59 and ((sav\$6 or stor\$6 or enter\$6) same (wireless or mobile or pda or laptop))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	1045	(audit\$3 near3 transaction) and (@pd<"20030630" or @ad<"20030630" or @rlad<"20030630" or @rlpd<"20030630")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	71	S61 and ((sav\$6 or stor\$6 or enter\$6) near5 (wireless or mobile or pda or laptop))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	55	S61 and ((sav\$6 or stor\$6) near5 (wireless or mobile or pda or laptop))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
64	9	S63 and audit\$3.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	65	S61 and ((sav\$6 or stor\$6 or database) near5 (wireless or mobile or pda or laptop))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	9	S65 and audit\$3.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	118	S61 and ((sav\$6 or stor\$6 or database) near5 (wireless or mobile or pda or laptop or portable))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
68	118	S67 and audit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	12	S67 and audit\$3.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	98	S70 and audit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	5	S70 and audit\$3.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
72	98	S67 and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
73	98	S70 and audit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
74	2680	audit\$5.ti. and (@pd<"20030630" or @ad<"20030630" or @rlad<"20030630" or @rlpd<"20030630")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
75	2	S74 and (audit adj counter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
76	2	S75 and audit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
77	1	"6868406".pn. and (key near10 (stor\$6 or sav\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
78	2	"20040267668"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
79	1	S78 and (high near5 valued near5 audit near5 session)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB